

CATALOGUE

**WATERTIGHT
PELI PROTECTOR CASES**

MARCH 2024



SINCE 1976



LIFETIME GUARANTEE*

TABLE + OF CONTENTS

| | |
|--------------------------------------|------------|
| PELI CASES FEATURES | 3 |
| PELI CASE INTERIOR PROTECTION | 4-5 |
| PELI CASES | |
| Personal Utility Case Series | 6 |
| Memory Card & Micro Cases | 7-8 |
| Small Cases | 9 |
| Laptop & Tablet Cases | 10-11 |
| Medium Cases | 12-13 |
| Large Cases | 14-17 |
| Long Cases | 18-19 |
| Cases Specifications | 20-23 |
| Case Accessories | 22-23 |

PELI CASES ALSO MADE IN GERMANY

In line with the company's commitment to global sustainability, and to provide an improved customer experience, a large number of Peli Protector Case models are being manufactured at the Peli manufacturing facility in Crottendorf, Germany.

You will find all the models that apply marked with a "Made in Germany" logo in this catalogue. All other case models continue to be manufactured in the United States. The aim is to progressively expand the number of case models that are manufactured in Germany in the coming years.

Note that the dimensions of some cases manufactured in Germany differ slightly from the equivalent cases manufactured in the US. Please review the case dimensions carefully before initiating any project.



**MADE IN
GERMANY**

PELI CASES FEATURES

Rugged, uncompromising and trusted, Peli cases protect what matters to you, from the everyday to the extraordinary. Peli Protector Cases are made with copolymer polypropylene and cutting edge technology, which makes them virtually indestructible and resistant to the most extreme conditions. Proven for over 45 years in the most demanding environments. Engineered and manufactured in the U.S and in Germany. Guaranteed for Life and sustainable due to its long life.

+ STRONGER BY DESIGN

The Peli Protector Case™ uses an open cell core and solid wall construction, which is actually stronger and lighter than a solid core wall. Travel light with heavy protection. And you know it's a Peli™ Case by the distinctive dual band top surface. Stainless steel pins are used for hinges and handles. The Double-Throw latches are smarter and easier to open: it's the classic 'C' clamp design with a secondary movement that works like a pry bar to start the release and offers plenty of leverage to open with a light pull.



+ TESTED

The Peli™ Case design is the result of multiple generations of refinement. This evolution is proven through a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.



+ EASY RIDING

Stainless steel ball bearing wheels (on selected cases) last longer and ride smoother. The nylon hub adjacent to the stainless steel resists heat. Result: less wear and tear on the polyurethane tire.



- ① NYLON HUB
- ② STAINLESS STEEL BALL BEARING WHEELS
- ③ POLYURETHANE TIRE

+ REINFORCED PADLOCK PROTECTORS

Stainless steel reinforced padlock protectors provide added strength and extra security against cutting and theft.



+ WATERTIGHT

The secret is the tongue and groove fit with a polymer o-ring acting as a waterproof seal.



+ EXTRA PROTECTION



Peli's Pick N Pluck™ foam lets you customise the interior according to your gear. An easy, do-it-yourself system: layers of foam are pre-scored in tiny cubes. Simply measure your equipment over the grid and pluck away.

+ COOL UNDER PRESSURE

The Automatic Pressure Equalisation Valve releases built-up air pressure while keeping water molecules out, resulting in a watertight case that is even easier to open.





PELI CASE INTERIOR PROTECTION

Peli™ Cases are available empty or with any of the following protection solutions.

Check how to install all accessories through our easy step-by-step Tutorial videos



+ CUSTOM FOAM SOLUTIONS

Custom foam and extreme solutions such as deck mount suspension systems will keep your delicate items protected on the inside.



+ PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1,27 cm or 2,54 cm cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least 2,5 cm of foam between your equipment and the case wall.

The following cases ship with solid foam instead of Pick N Pluck™ Foam: 1700, 1720, 1750



+ TREKPAK™ DIVIDERS*

The TrekPak™ system uses pre-installed wall sections, divider panels, locking pins and an infallible cutting tool. Just lay your gear in the case, measure and cut the divider sections and lock them in place with the steel U-pins.


* Trekpak™ is available for the following models: 1450, 1500, 1510, 1550, 1560, 1600, 1610, 1650



+ PANEL FRAMES

Many Peli™ cases can be adapted for use with electronic interface panels by using a Panel Frame. Pre-drilled holes and stainless steel screws make fabricating a custom case a fast and accurate proposition.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open.

The following cases are adaptable for use with panel frames: 1120, 1150, 1200, 1300, 1400, 1430, 1450, 1470, 1490, 1500, 1520, 1550 (search for the icon )



- O-ring
- Panel Frame
- Attachment Hardware

See how to mount a panel frame here:



CASE CONTENTS NOT INCLUDED

+ LID ORGANISERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organised. They install easily with Velcro® strips (included).



| LID ORGANISER OPTIONS | | | | |
|-----------------------|------------------------|--|-------------------------|-------------------------|
| CASE | MESH | COMPUTER | PHOTO | EMS |
| | 1430 | | | 1439 Photo ^A |
| 1440 | 1449 Mesh ^A | | | |
| 1490 | | 1498 Computer ^B 1495 Computer ^B | | |
| 1500 | 1509 Mesh | | 1508 Photo | 1505 EMS ^B |
| 1510 | 1519 Mesh ^A | | | |
| 1520 | 1509 Mesh | | 1508 Photo ^B | |
| 1550 | | | | 1555 EMS ^B |
| 1560 | 1569 Mesh | | | |
| 1600 | 1609 Mesh ^B | | | 1605 EMS ^A |
| 1610 | 1609 Mesh ^B | | | |
| 1620 | 1609 Mesh ^B | | | |
| 1630 | 1639 Mesh ^A | | | |
| 1640 | 0379 Mesh ^A | | | |
| 1650 | 1659 Mesh ^A | | | |
| 1660 | 1669 Mesh ^A | | | |
| 1690 | 1699 Mesh ^A | | | |
| 0340 | 0349 Mesh ^A | | | |
| 0350 | 0359 Mesh ^A | | | |
| 0370 | 0379 Mesh ^A | | | |

A= With mounting screws B= With mounting Velcro®

+ EZ-CLICK™ MOLLE PANEL

The first lid organiser of its kind that can quickly be released and swapped out without tools. Engineered to fit in the 1510 and 1560 Peli cases, the panel is compatible with user-supplied MOLLE pouches and Velcro™ brand straps.



+ ELECTRONIC INSTALLATIONS

Peli™ Case allows customisation for electronics. The copolymer material can be machined, drilled and sanded smooth. This makes the Peli™ Case suitable for use with bulkhead connectors.



CASE CONTENTS NOT INCLUDED

+ PADDED DIVIDERS

An alternative to Peli™ foam is our optional Padded Divider Sets. The compartments are connected with Velcro® so you can easily change the configuration according to your needs.



| PADDED DIVIDER OPTIONS | | | |
|------------------------|--------|-------------------------------|-----------------------------|
| CASE | LAYERS | CASE WITH DIVIDERS (CAT. NO.) | DIVIDER SET ONLY (CAT. NO.) |
| 1450 | 1 | 1454 | 1455 |
| 1500 | 1 | 1504* | 1505* |
| 1510 | 1 | 1514* | 1515* |
| 1520 | 1 | 1524 | 1525 |
| 1550 | 1 | 1554* | 1555* |
| 1560 | 1 | 1564* | 1565* |
| 1600 | 1 | 1604 | 1605 |
| 1610 | 1 | 1614 | 1615 |
| 1620 | 2 | 1624 | 1625 |
| 1630 | 2 | 1634 | 1635 |
| 1640 | 2 | 1644 | 1645 |
| 1650 | 1 | 1654* | 1655* |
| 1660 | 2 | 1664 | 1665 |
| 1690 | 2 | 1694 | 1695 |
| 0340 | 2 | 0344 | 0345 |
| 0350 | 2 | 0354 | 0355 |
| 0370 | 2 | 0374 | 0375 |

* These cases/sets come with new high-visibility yellow dividers. All others with standard black dividers.

+ HYBRID PROTECTION

No longer choose between the versatility of the TrekPak™ divider system or the protection of the manually customisable Pick N Pluck™ foam. Peli™ Hybrid protection features both. Only available for the Peli™ 1510 case as a standard offering.



+ WE CUSTOMISE YOUR LOGO

Personalise your case with your company logo or have your name engraved on the nameplate. Logos can be applied in multiple colours as a Mylar® decal or as a vibrant fade-resistant, scratch-resistant hot-stamped ink.



CASE CONTENTS NOT INCLUDED

PERSONAL UTILITY CASE SERIES

OUTSIDE

- Ip68 rated protection from water, dirt, snow and dust
- Rubber exo-skeleton
- Dual pivot latch
- Multiple external attachment points

INSIDE

- Snap in, flexible lid organizer
- Loop system with velcro® brand straps
- Cable routing hole
- Rigid divider tray



MEMORY CARD & MICRO CASES

From small sensitive components to smartphones, protect your gear from the elements in a Memory Card Case or Micro Case from Peli™



R20

INTERNAL DIMS:
18 x 8.6 x 5 cm
(7.07" x 3.39" x 1.95")

EXTERNAL DIMS:
22.8 x 12.3 x 7.3 cm
(8.96" x 4.83" x 2.88")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.6 kg (1.26 lbs)



R40

INTERNAL DIMS:
19.4 x 11.9 x 4.8 cm
(7.63" x 4.70" x 1.90")

EXTERNAL DIMS:
25 x 15.5 x 7.3 cm
(9.84" x 6.12" x 2.89")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.8 kg (1.68 lbs)



R60

INTERNAL DIMS:
22.6 x 13.6 x 7.5 cm
(8.90" x 5.37" x 2.96")

EXTERNAL DIMS:
28.3 x 17.4 x 9.9 cm
(11.14" x 6.86" x 3.88")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
1.1 kg (2.34 lbs)



CASE CONTENTS NOT INCLUDED

M60

INTERNAL DIMS:
1.1 x 6.5 x 10.4 cm
(0.43" x 2.56" x 4.10")

EXTERNAL DIMS:
2 x 7.6 x 12.7 cm
(0.80" x 3.00" x 5.00")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.1 kg (0.33 lbs)



G5 RF FIELD WALLET

INTERNAL DIMS:
1.1 x 6.5 x 10.4 cm
(0.43" x 2.56" x 4.10")

EXTERNAL DIMS:
2 x 7.6 x 12.7 cm
(0.80" x 3.00" x 5.00")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.1 kg (0.33 lbs)



CASE CONTENTS NOT INCLUDED

M50

INTERNAL DIMS:
1.1 x 6.5 x 10.4 cm
(0.43" x 2.56" x 4.10")

EXTERNAL DIMS:
2 x 7.6 x 12.7 cm
(0.80" x 3.00" x 5.00")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.1 kg (0.33 lbs)



RFID PROTECTED

Blocks personal data theft and keeps cards safe.



0915 CASE

INTERNAL DIMS:
12.2 x 5.7 x 1.4 cm
(4.79" x 2.25" x 0.55")

EXTERNAL DIMS:
14.1 x 8.3 x 2.2 cm
(5.55" x 3.27" x 0.85")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
0.1 kg (0.22 lbs) WITH LINER



Stores 12 SD cards, 6 mini SD cards and 6 micro SD cards (not included)

SMALL CASES

Lightweight, but extremely strong; compact, yet fully capable. Perfect for valuable gear like hand tools and small to medium electronic components, hand held GPS systems, and DSLR cameras. All small cases are available empty or with pre-scored Pick N Pluck™ foam.



0965 CASE

INTERNAL DIMS:
12.2 x 5.7 x 1.4 cm
(4.79" x 2.25" x 0.55")
EXTERNAL DIMS:
14.1 x 8.3 x 2.2 cm
(5.55" x 3.27" x 0.85")
LID/BOTTOM DEPTH:
N/A
WEIGHT:
0.1 kg (0.22 lbs)



Stores XQD and CFexpress cards (not included)

1010 MICRO CASE

INTERNAL DIMS:
11.1 x 7.3 x 4.3 cm
(4.37" x 2.87" x 1.68")
EXTERNAL DIMS:
14.9 x 10.3 x 5.4 cm
(5.88" x 4.06" x 2.12")
LID/BOTTOM DEPTH:
1.8 cm / 2.4 cm
(0.69" / 0.94")
WEIGHT:
0.19 kg (0.41 lbs) WITH FOAM
0.18 kg (0.4 lbs) NO FOAM



■ ■ *

1015 MICRO CASE

INTERNAL DIMS:
13.1 x 6.7 x 3.5 cm
(5.14" x 2.64" x 1.37")
EXTERNAL DIMS:
17 x 9.9 x 4.7 cm
(6.68" x 3.88" x 1.86")
LID/BOTTOM DEPTH:
1.1 cm / 2.4 cm
(0.43" / 0.94")
WEIGHT:
0.21 kg (0.46 lbs)



■ *

1020 MICRO CASE

INTERNAL DIMS:
13.5 x 9 x 4.3 cm
(5.31" x 3.56" x 1.68")
EXTERNAL DIMS:
17.3 x 12.1 x 5.4 cm
(6.82" x 4.75" x 2.12")
LID/BOTTOM DEPTH:
1.8 cm / 2.4 cm (0.69" / 0.94")
WEIGHT:
0.25 kg (0.56 lbs) WITH FOAM
0.25 kg (0.55 lbs) NO FOAM



■ ■ *

1030 MICRO CASE

INTERNAL DIMS:
16.2 x 6.7 x 5.2 cm
(6.37" x 2.62" x 2.06")
EXTERNAL DIMS:
19.1 x 9.8 x 6.2 cm
(7.5" x 3.87" x 2.43")
LID/BOTTOM DEPTH:
1.8 cm / 3.2 cm
(0.69" / 1.25")
WEIGHT:
0.28 kg (0.61 lbs) WITH FOAM
0.27 kg (0.6 lbs) NO FOAM



■ ■ *

1040 MICRO CASE

INTERNAL DIMS:
16.5 x 9.8 x 4.4 cm
(6.5" x 3.87" x 1.75")
EXTERNAL DIMS:
19.1 x 12.9 x 5.4 cm
(7.5" x 5.06" x 2.12")
LID/BOTTOM DEPTH:
1.8 cm / 2.4 cm
(0.69" / 0.94")
WEIGHT:
0.32 kg (0.71 lbs) WITH FOAM
0.32 kg (0.7 lbs) NO FOAM



■ ■ *

1050 MICRO CASE

INTERNAL DIMS:
16 x 9.3 x 7 cm
(6.31" x 3.68" x 2.75")
EXTERNAL DIMS:
20.3 x 12.9 x 7.9 cm
(7.99" x 5.06" x 3.12")
LID/BOTTOM DEPTH:
1.8 cm / 4.9 cm
(0.69" / 1.94")
WEIGHT:
0.38 kg (0.83 lbs) WITH FOAM
0.37 kg (0.81 lbs) NO FOAM



■ ■ *

1060 MICRO CASE

INTERNAL DIMS:
21 x 10.8 x 5.7 cm
(8.25" x 4.25" x 2.25")
EXTERNAL DIMS:
25.1 x 14.2 x 6.7 cm
(9.88" x 5.59" x 2.63")
LID/BOTTOM DEPTH:
1.8 cm / 3.7 cm
(0.69" / 1.44")
WEIGHT:
0.47 kg (1.03 lbs) WITH FOAM
0.45 kg (1 lbs) NO FOAM



■ ■ *

1120 CASE

INTERNAL DIMS:
18.5 x 12.1 x 8.5 cm
(7.29" x 4.78" x 3.33")
EXTERNAL DIMS:
21.4 x 17.2 x 9.8 cm
(8.41" x 6.76" x 3.87")
LID/BOTTOM DEPTH:
1.3 cm / 6.5 cm (0.5" / 2.56")
WEIGHT:
0.65 kg (1.43 lbs) WITH FOAM
0.61 kg (1.34 lbs) NO FOAM



■ ■ ■ *

1150 CASE

INTERNAL DIMS:
21.1 x 14.7 x 9.5 cm
(8.29" x 5.79" x 3.75")
EXTERNAL DIMS:
24 x 19.8 x 10.9 cm
(9.44" x 7.8" x 4.29")
LID/BOTTOM DEPTH:
1.9 cm / 7.3 cm (0.75" / 2.87")
WEIGHT:
0.79 kg (1.75 lbs) WITH FOAM
0.73 kg (1.61 lbs) NO FOAM



■ ■ ■ *

1170 CASE

INTERNAL DIMS:
26.8 x 15.3 x 8 cm
(10.54" x 6.04" x 3.16")
EXTERNAL DIMS:
29.6 x 21.2 x 9.6 cm
(11.64" x 8.34" x 3.78")
LID/BOTTOM DEPTH:
2.7 cm / 5.3 cm
(1.08" / 2.08")
WEIGHT:
0.95 kg (2.1 lbs) WITH FOAM
0.89 kg (1.96 lbs) NO FOAM



■ ■ *

1200 CASE

INTERNAL DIMS:
24 x 18.5 x 10.5 cm
(9.31" x 7.13" x 4.12")
EXTERNAL DIMS:
27 x 24.5 x 12.4 cm
(9.31" x 7.13" x 4.12")
LID/BOTTOM DEPTH:
3 cm / 7 cm (1.19" / 2.93")
WEIGHT:
1.3 kg (2.87 lbs) WITH FOAM
1.15 kg (2.65 lbs) NO FOAM



MADE IN GERMANY

■ ■ ■ *

1300 CASE

INTERNAL DIMS:
23.3 x 17.8 x 15.5 cm
(9.17" x 7" x 6.12")
EXTERNAL DIMS:
27 x 24.6 x 17.4 cm
(10.62" x 9.68" x 6.87")
LID/BOTTOM DEPTH:
3 cm / 12.5 cm (1.18" / 4.93")
WEIGHT:
1.6 kg (3.53 lbs) WITH FOAM
1.4 kg (3.09 lbs) NO FOAM



MADE IN GERMANY

■ ■ ■ *

1400 CASE

INTERNAL DIMS:
30.1 x 22.8 x 13.1 cm
(11.87" x 8.97" x 5.15")
EXTERNAL DIMS:
34.7 x 29.5 x 14.6 cm
(13.68" x 11.61" x 5.75")
LID/BOTTOM DEPTH:
3 cm / 10.2 cm (1.18" / 4")
WEIGHT:
2 kg (4.41 lbs) WITH FOAM
1.8 kg (3.97 lbs) NO FOAM



MADE IN GERMANY

■ ■ ■ *

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE CONTENTS NOT INCLUDED

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

LAPTOP & TABLET CASES

The Peli line of tablet and laptop cases feature revolutionary design, construction and durability. Peli HardBack™ cases are available in many sizes and insert options. Moulded plush shock absorbing liner protects from impact and won't scratch your device—superior protection for your office on the go!



PELI LAPTOP & TABLET CASES

1085 HARDBACK™ CASE

INTERNAL DIMS:
36.3 x 26.3 x 5 cm
(14.29" x 10.37" x 1.97")

EXTERNAL DIMS:
39.7 x 31.5 x 6.4 cm
(15.64" x 12.41" x 2.5")

LID/BOTTOM DEPTH:
2.5 cm (0.99")

WEIGHT:
1.4 kg (3.1 lbs) WITH FOAM
1.2 kg (2.65 lbs) NO FOAM



1095CC HARDBACK™ CASE

INTERNAL DIMS:
40.1 x 28.3 x 5.2 cm
(15.78" x 11.16" x 2.06")

EXTERNAL DIMS:
43.6 x 33.6 x 6.6 cm
(17.18" x 13.24" x 2.6")

LID/BOTTOM DEPTH:
2.6 cm (1.03")

WEIGHT:
1.5 kg (3.29 lbs) WITH FOAM



CASE CONTENTS NOT INCLUDED

1470 CASE

INTERNAL DIMS:
39.9 x 27.2 x 9.8 cm
(15.7" x 10.7" x 3.87")

EXTERNAL DIMS:
42.9 x 33.6 x 11.4 cm
(16.88" x 13.23" x 4.47")

LID/BOTTOM DEPTH:
3.7 cm / 6.1 cm (1.47" / 2.4")

WEIGHT:
2.5 kg (5.51 lbs) WITH FOAM
1.94 kg (4.28 lbs) NO FOAM



1490 CASE

INTERNAL DIMS:
45.1 x 28.9 x 10.5 cm
(17.75" x 11.37" x 4.12")

EXTERNAL DIMS:
50.5 x 35.4 x 11.9 cm
(19.87" x 13.93" x 4.68")

LID/BOTTOM DEPTH:
3.8 cm / 6.7 cm (1.5" / 2.62")

WEIGHT:
2.95 kg (6.5 lbs) WITH FOAM
2.48 kg (5.47 lbs) NO FOAM



1495 CASE

INTERNAL DIMS:
47.9 x 33.3 x 9.7 cm
(18.87" x 13.12" x 3.81")

EXTERNAL DIMS:
54.9 x 43.8 x 12.4 cm
(21.62" x 17.25" x 4.87")

LID/BOTTOM DEPTH:
2.8 cm / 6.8 cm (1.12" / 2.68")

WEIGHT:
3.8 kg (8.37 lbs) WITH FOAM
3.28 kg (7.23 lbs) NO FOAM



1430 TOP LOADER CASE

INTERNAL DIMS:
34.4 x 14.6 x 29.7 cm
(13.56" x 5.76" x 11.7")

EXTERNAL DIMS:
41.7 x 22.1 x 33.4 cm
(16.4" x 8.71" x 13.15")

LID/BOTTOM DEPTH:
5.1 cm / 24.6 cm (2" / 9.7")

WEIGHT:
2.95 kg (6.5 lbs) WITH FOAM
2.54 kg (5.6 lbs) NO FOAM



Adaptable for use with panel frame
CASE CONTENTS NOT INCLUDED

1490CC1 CASE

INTERNAL DIMS:
45.1 x 28.9 x 10.5 cm
(17.75" x 11.37" x 4.12")

EXTERNAL DIMS:
50.5 x 35.4 x 11.9 cm
(19.87" x 13.93" x 4.68")

LID/BOTTOM DEPTH:
3.8 cm / 6.7 cm (1.5" / 2.62")

WEIGHT:
2.95 kg (6.5 lbs) WITH FOAM
2.48 kg (5.47 lbs) NO FOAM



1495CC1 CASE

INTERNAL DIMS:
47.9 x 33.3 x 9.7 cm
(18.87" x 13.12" x 3.81")

EXTERNAL DIMS:
54.9 x 43.8 x 12.4 cm
(21.62" x 17.25" x 4.87")

LID/BOTTOM DEPTH:
2.8 cm / 6.8 cm (1.12" / 2.68")

WEIGHT:
5.03 kg (11.1 lbs)



1440 TOP LOADER CASE

INTERNAL DIMS:
43.4 x 19.1 x 40.6 cm
(17.1" x 7.5" x 16")

EXTERNAL DIMS:
50 x 30.5 x 45.7 cm
(19.7" x 12" x 18")

LID/BOTTOM DEPTH:
5.1 cm / 35.6 cm (2" / 14")

WEIGHT:
7.48 kg (16.5 lbs) WITH FOAM
6.58 kg (14.5 lbs) NO FOAM



*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

MEDIUM CASES

Mobility with room for protecting larger gear or multiple instruments and accessories. Interior options are available for extra protection. Selected models meet carry-on luggage specifications. * Most cases are available empty, with foa, TrekPak™ or padded dividers.



1450 CASE

Similarly sized Pelli Storm Case: iM2200

INTERNAL DIMS:
37.4 x 26 x 15.4 cm
(14.72" x 10.22" x 6.08")

EXTERNAL DIMS:
40.9 x 33.1 x 17.5 cm
(16.1" x 13.03" x 6.88")

LID/BOTTOM DEPTH:
4.4 cm / 11.1 cm (1.75" / 4.37")

WEIGHT:
2.9 kg (6.39 lbs) WITH FOAM
2.5 kg (5.51 lbs) NO FOAM



MADE IN GERMANY



Look for this icon for wheels on selected models.

*Check with your airline for exact measurement requirements

1460 CASE

INTERNAL DIMS:
47.1 x 25.2 x 27.7 cm
(18.54" x 9.92" x 10.92")

EXTERNAL DIMS:
53 x 32.3 x 32.4 cm
(20.85" x 12.73" x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.3 cm (4.91" / 6.01")

WEIGHT:
5.66 kg (12.48 lbs) WITH FOAM
3.97 kg (8.75 lbs) NO FOAM



1460 TOOL CASE

INTERNAL DIMS:
47.1 x 25.2 x 27.7 cm
(18.54" x 9.92" x 10.92")

EXTERNAL DIMS:
53 x 32.3 x 32.4 cm
(20.85" x 12.73" x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.3 cm
(4.91" / 6.01")

WEIGHT:
5.9 kg (13 lbs) WITH TRAY ASSEMBLY



1460 EMS CASE

INTERNAL DIMS:
47.1 x 25.2 x 27.7 cm
(18.54" x 9.92" x 10.92")

EXTERNAL DIMS:
53 x 32.3 x 32.4 cm
(20.85" x 12.73" x 12.75")

LID/BOTTOM DEPTH:
12.5 cm / 15.3 cm (4.91" / 6.01")

WEIGHT:
8.26 kg (18.2 lbs)
WITH TRAY ASSEMBLY



1500 CASE

Similarly sized Pelli Storm Case: iM2300

INTERNAL DIMS:
42.8 x 28.6 x 15.5 cm
(16.84" x 11.27" x 6.09")

EXTERNAL DIMS:
47.1 x 35.7 x 17.5 cm
(18.54" x 14.05" x 6.89")

LID/BOTTOM DEPTH:
4.6 cm / 10.9 cm (1.81" / 4.31")

WEIGHT:
3.2 kg (7.05 lbs) WITH FOAM
2.9 kg (6.39 lbs) NO FOAM



MADE IN GERMANY

Adaptable for use with panel frame
CASE CONTENTS NOT INCLUDED

1510 CASE

Similarly sized Pelli Storm Case: iM2500

INTERNAL DIMS:
51 x 28.5 x 19.3 cm
(19.75" x 11" x 7.6")

EXTERNAL DIMS:
55 x 36 x 22.9 cm
(22" x 13.81" x 9")

LID/BOTTOM DEPTH:
4 cm / 15 cm (1.79" / 5.79")

WEIGHT:
6.17 kg (13.6 lbs) WITH FOAM
5.59 kg (11.99 lbs) NO FOAM



MADE IN GERMANY

1510TPF HYBRID CASE

Similarly sized Pelli Storm Case: iM2500

INTERNAL DIMS:
50.1 x 27.9 x 19.3 cm
(19.75" x 11" x 7.6")

EXTERNAL DIMS:
55.9 x 35.1 x 22.9 cm
(22" x 13.81" x 9")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
6.77 kg (14.94 lbs)



1510M CASE

INTERNAL DIMS:
50.2 x 27.9 x 19.3 cm
(19.75" x 11" x 7.6")

EXTERNAL DIMS:
59.8 x 36.5 x 27 cm
(23.55" x 14.36" x 10.62")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
8.1 kg (17.91 lbs) WITH FOAM
7.4 kg (16.3 lbs) NO FOAM



1510 LOC CASE

Similarly sized Pelli Storm Case: iM2500

INTERNAL DIMS:
50.2 x 27.9 x 19.3 cm
(19.75" x 11" x 7.6")

EXTERNAL DIMS:
55.9 x 35.1 x 22.9 cm
(22" x 13.81" x 9")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
6.2 kg (13.6 lbs) WITH FOAM
5.4 kg (11.99 lbs) NO FOAM



1510 SC CASE

INTERNAL DIMS:
50.2 x 27.9 x 19.3 cm
(19.75" x 11" x 7.6")

EXTERNAL DIMS:
55.9 x 35.1 x 22.9 cm
(22" x 13.81" x 9")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm (1.79" / 5.79")

WEIGHT:
6.2 kg (13.6 lbs) WITH FOAM
5.4 kg (11.99 lbs) NO FOAM



1510 LFC CASE

INTERNAL DIMS:
50.2 x 27.9 x 19.3 cm
(19.75" x 11" x 7.6")

EXTERNAL DIMS:
55.9 x 35.1 x 22.9 cm
(22" x 13.81" x 9")

LID/BOTTOM DEPTH:
4.5 cm / 14.7 cm
(1.79" / 5.79")

WEIGHT:
6.2 kg (13.6 lbs) WITH FOAM
5.4 kg (11.99 lbs) NO FOAM



1520 CASE

Similarly sized Pelli Storm Case: iM2400

INTERNAL DIMS:
44.9 x 31.8 x 17.1 cm
(17.68" x 12.53" x 6.73")

EXTERNAL DIMS:
49.9 x 39.3 x 19.1 cm
(19.65" x 15.49" x 7.53")

LID/BOTTOM DEPTH:
4.5 cm / 12.5 cm (1.79" / 4.93")

WEIGHT:
4.24 kg (9.35 lbs) WITH FOAM
3.76 kg (8.29 lbs) NO FOAM



MADE IN GERMANY

Adaptable for use with panel frame
CASE CONTENTS NOT INCLUDED

1550 CASE


Similarly sized Pelli Storm Case: iM2600

INTERNAL DIMS:
47.3 x 36 x 19.6 cm
(18.63" x 14.18" x 7.71")

EXTERNAL DIMS:
52.5 x 43.5 x 21.6 cm
(20.66" x 17.12" x 8.51")

LID/BOTTOM DEPTH:
4.4 cm / 14.9 cm (1.75" / 5.87")

WEIGHT:
5.4 kg (11.9 lbs) WITH FOAM
4.8 kg (10.58 lbs) NO FOAM




MADE IN GERMANY

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.
** This case is only available upon minimum quantities

LARGE CASES

Designed for extreme protection during transport and storage. Customisable interiors allow for extra protection and inventory control. Selected models feature retractable handles, extra wide grips and sturdy casters for efficient mobility.



PELI LARGE CASES

PELI LARGE CASES

1560 CASE

INTERNAL DIMS:
51 x 39 x 22.9 cm
(19.92" x 14.98" x 9")

EXTERNAL DIMS:
55 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5 cm / 18 cm (2" / 7")

WEIGHT:
9.07 kg (20 lbs) WITH FOAM
6.84 kg (17 lbs) NO FOAM



MADE IN GERMANY



1560M CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9")

EXTERNAL DIMS:
60.4 x 46.6 x 30.7 cm
(23.78" x 18.33" x 12.08")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2" / 7")

WEIGHT:
11 KG (24.3 LBS) WITH FOAM
9.7 KG (21.3 LBS) NO FOAM



1560LFC CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9")

EXTERNAL DIMS:
56.1 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2" / 7")

WEIGHT:
8.2 kg (18.18 lbs) WITH FOAM
7.7 kg (17 lbs) NO FOAM



1600 CASE

Similarly sized Pelic Storm Case: iM2700

INTERNAL DIMS:
54.6 x 42 x 20.2 cm
(21.51" x 16.54" x 7.95")

EXTERNAL DIMS:
61.8 x 49.4 x 22.2 cm
(24.35" x 19.46" x 8.75")

LID/BOTTOM DEPTH:
4.4 cm / 15.5 cm
(1.75" / 6.12")

WEIGHT:
6.4 kg (14.11 lbs) WITH FOAM
5.9 kg (13 lbs) NO FOAM



MADE IN GERMANY



1610 CASE

Similarly sized Pelic Storm Case: iM2720

INTERNAL DIMS:
55.1 x 42.2 x 26.8 cm
(21.68" x 16.62" x 10.56")

EXTERNAL DIMS:
62.8 x 49.7 x 30.3 cm
(24.71" x 19.58" x 11.93")

LID/BOTTOM DEPTH:
5.2 cm / 21.6 cm (2.06" / 8.5")

WEIGHT:
10.2 kg (22.49 lbs) WITH FOAM
9.1 kg (20 lbs) NO FOAM



MADE IN GERMANY



1610M CASE

INTERNAL DIMS:
55.3 x 42.4 x 27 cm
(21.78" x 16.69" x 10.62")

EXTERNAL DIMS:
66.5 x 58.4 x 34.7 cm
(26.2" x 23" x 13.68")

LID/BOTTOM DEPTH:
5.2 cm / 21.8 cm (2.05" / 8.57")

WEIGHT:
13.2 kg (29.1 lbs) WITH FOAM
11.9 kg (26.3 lbs) NO FOAM



1620 CASE

Similarly sized Pelic Storm Case: iM2750

INTERNAL DIMS:
54.3 x 41.4 x 31.9 cm
(21.37" x 16.31" x 12.56")

EXTERNAL DIMS:
63 x 49.2 x 35.2 cm
(24.81" x 19.37" x 13.87")

LID/BOTTOM DEPTH:
5.2 cm / 26.7 cm (2.06" / 10.5")

WEIGHT:
11.8 kg (26.01 lbs) WITH FOAM
11.1 kg (24.47 lbs) NO FOAM



MADE IN GERMANY



1620M CASE

INTERNAL DIMS:
54.6 x 41.7 x 31.9 cm
(21.48" x 16.42" x 12.54")

EXTERNAL DIMS:
66.5 x 58.4 x 39.6 cm
(26.2" x 23" x 15.61")

LID/BOTTOM DEPTH:
5.1 cm / 26.7 cm
(2.01" / 10.53")

WEIGHT:
14.3 kg (31.42 lbs) WITH FOAM
12.7 kg (28 lbs) NO FOAM



1560LOC CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9")

EXTERNAL DIMS:
56.1 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2" / 7")

WEIGHT:
8.2 kg (18.18 lbs) WITH FOAM
7.7 kg (17 lbs) NO FOAM



1560SC CASE

INTERNAL DIMS:
50.6 x 38 x 22.9 cm
(19.92" x 14.98" x 9")

EXTERNAL DIMS:
56.1 x 45.5 x 26.5 cm
(22.07" x 17.92" x 10.42")

LID/BOTTOM DEPTH:
5.1 cm / 17.8 cm (2" / 7")

WEIGHT:
8.2 kg (18.18 lbs) WITH FOAM
7.7 kg (17 lbs) NO FOAM



INTACT AFTER MASSIVE EXPLOSION

My team and I were first responders to a terrorist attack on a hotel in Islamabad, Pakistan. As part of our recovery effort at the blast site, we 'repatriated' one of our armored vehicles. Inside the vehicle, which was in the immediate impact zone of the SVBIED, we discovered an unscathed 'Model 1640 Pelic Transport Case™.' The case stood up against a massive explosion and flying shrapnel. Seeing how well this product withstood this type of abuse, I can say that you have found yourself several new lifetime customers!

US Federal Agent

SURVIVAL + STORIES

SUPERSTORM PROOF

The plane hit with such force that it sheared the left wing and float right off and, as the plane rapidly sunk, everyone was able to escape out the exits. For over nine hours, the plane was submerged some 6-8 feet under water, loosely held to the right pontoon! When we were finally allowed to recover our gear, I was planning for the worst, because the water damage on impact had destroyed just about everyone's gear. But when I opened the lid on my Peli™ 1650 case, I was astonished to find that there was very little water inside and everything was intact!

Tim Cothren, wildlife photographer



1650 CASE Similarly sized Peli Storm Case: iM2950

INTERNAL DIMS:
72.2 x 44.2 x 27 cm
(28.41" x 17.4" x 10.64")

EXTERNAL DIMS:
80.1 x 52.1 x 31.7 cm
(31.55" x 20.51" x 12.47")

LID/BOTTOM DEPTH:
4.6 cm / 22.5 cm
(1.81" / 8.84")

WEIGHT:
12.73 kg (28.06 lbs) WITH FOAM
10.9 kg (24.03 lbs) NO FOAM



1670 CASE

INTERNAL DIMS:
71.4 x 41.9 x 23.3 cm
(28.1" x 16.49" x 9.19")

EXTERNAL DIMS:
78.8 x 49.3 x 28.4 cm
(31.04" x 19.39" x 11.17")

LID/BOTTOM DEPTH:
4.6 cm / 18.8 cm (1.8" / 7.39")

WEIGHT:
11.8 kg (26 lbs) WITH FOAM
10.4 kg (23 lbs) NO FOAM



1630 CASE

INTERNAL DIMS:
70.4 x 53.3 x 39.4 cm
(27.7" x 20.98" x 15.5")

EXTERNAL DIMS:
79.5 x 61.5 x 44.4 cm
(31.28" x 24.21" x 17.48")

LID/BOTTOM DEPTH:
8.3 cm / 30.8 cm (3.25" / 12.14")

WEIGHT:
16.33 kg (36 lbs) WITH FOAM
14.06 kg (31 lbs) NO FOAM



1640 CASE

INTERNAL DIMS:
60.2 x 61 x 35.3 cm
(23.7" x 24" x 13.9")

EXTERNAL DIMS:
69.1 x 69.9 x 41.4 cm
(27.2" x 27.5" x 16.3")

LID/BOTTOM DEPTH:
5.1 cm / 30.2 cm (2" / 11.9")

WEIGHT:
17.24 kg (38 lbs) WITH FOAM
15.42 kg (34 lbs) NO FOAM



1660 CASE

INTERNAL DIMS:
71.6 x 50.2 x 44.8 cm
(28.18" x 19.75" x 17.62")

EXTERNAL DIMS:
80 x 58.1 x 48.3 cm
(31.5" x 22.87" x 19")

LID/BOTTOM DEPTH:
8.9 cm / 35.9 cm
(3.5" / 14.12")

WEIGHT:
19.1 kg (42.11 lbs) WITH FOAM
15.5 kg (34.17 lbs) NO FOAM



1690 CASE

INTERNAL DIMS:
76.5 x 63.8 x 39 cm
(30.13" x 25.13" x 15.36")

EXTERNAL DIMS:
84.9 x 72.1 x 44.8 cm
(33.43" x 28.4" x 17.65")

LID/BOTTOM DEPTH:
7.3 cm / 30.8 cm (2.86" / 12.14")

WEIGHT:
19.5 kg (43 lbs) WITH FOAM
15.42 kg (34 lbs) NO FOAM



1730 CASE

INTERNAL DIMS:
86.4 x 61 x 31.8 cm
(34" x 24" x 12.5")

EXTERNAL DIMS:
95.3 x 68.9 x 36.5 cm
(37.5" x 27.13" x 14.37")

LID/BOTTOM DEPTH:
6.4 cm / 25.4 cm (2.5" / 1")

WEIGHT:
17.24 kg (38 lbs) WITH FOAM
13.61 kg (30 lbs) NO FOAM



0340 CASE

INTERNAL DIMS:
45.7 x 45.7 x 45.7 cm
(18" x 18" x 18")

EXTERNAL DIMS:
52.1 x 52.1 x 48.9 cm
(20.5" x 20.5" x 19.25")

LID/BOTTOM DEPTH:
11.4 cm / 34.3 cm (4.5" / 13.5")

WEIGHT:
13.5 kg (29.76 lbs) WITH FOAM
10.89 kg (24 lbs) NO FOAM



0370 CASE

INTERNAL DIMS:
61 x 61 x 61 cm
(24" x 24" x 24")

EXTERNAL DIMS:
67.3 x 67.3 x 64.1 cm
(26.5" x 26.5" x 25.25")

LID/BOTTOM DEPTH:
12.7 cm / 48.3 cm
(5" / 19")

WEIGHT:
18.6 kg (41 lbs) WITH FOAM
14.5 kg (31.97 lbs) NO FOAM



0500 CASE

INTERNAL DIMS:
88.8 x 46.9 x 64.1 cm
(34.95" x 18.45" x 25.25")

EXTERNAL DIMS:
101.5 x 59.6 x 72.8 cm
(39.95" x 23.45" x 28.65")

LID/BOTTOM DEPTH:
5.7 cm / 58.4 cm
(2.25" / 23")

WEIGHT:
26.58 kg (58.6 lbs) WITH FOAM
22.68 kg (50 lbs) NO FOAM



1780 CASE

INTERNAL DIMS:
104.4 x 54.7 x 37.8 cm
(41.12" x 21.54" x 14.88")

EXTERNAL DIMS:
114 x 64.3 x 41.9 cm
(44.9" x 25.32" x 16.5")

LID/BOTTOM DEPTH:
19.3 cm / 18.5 cm (7.58" / 7.3")

WEIGHT:
22.2 kg (49 lbs) WITH FOAM
17.4 kg (38.4 lbs) NO FOAM



0350 CASE

INTERNAL DIMS:
50.8 x 50.8 x 50.8 cm
(2" x 2" x 2")

EXTERNAL DIMS:
57.2 x 57 x 54 cm
(22.5" x 22.43" x 21.25")

LID/BOTTOM DEPTH:
12.7 cm / 38.1 cm (5" / 15")

WEIGHT:
14.52 kg (32.01 lbs) WITH FOAM
11.79 kg (25.99 lbs) NO FOAM



0450 CASE

INTERNAL DIMS:
Varies by drawer configuration

EXTERNAL DIMS:
60.8 x 37.5 x 45.6 cm
(23.95" x 14.75" x 17.95")

LID/BOTTOM DEPTH:
N/A

WEIGHT:
21.95 kg (48.4 lbs)



0550 CASE

INTERNAL DIMS:
120.8 x 61.1 x 44.9 cm
(47.57" x 24.07" x 17.68")

EXTERNAL DIMS:
129.7 x 70 x 57.9 cm
(51.05" x 27.54" x 22.79")


LID/BOTTOM DEPTH:
8.1 cm / 36.8 cm
(3.19" / 14.49")

WEIGHT:
43.09 kg (95 lbs) WITH FOAM
35.92 kg (79.2 lbs) NO FOAM



LONG CASES

Ideal for weapons, but also used by industrial workers for instruments and gear. Equipped with sturdy polyurethane wheels for ease of transport.



PELI LONG CASES

Photo by Instinct Tactique



All Long Cases are equipped with wheels

1700 CASE Similarly sized Pelli Storm Case: iM3100

INTERNAL DIMS:
91 x 35.3 x 13.3 cm
(35.75" x 13.5" x 5.25")

EXTERNAL DIMS:
96 x 45.5 x 15.5 cm
(38.12" x 16" x 6.12")

LID/BOTTOM DEPTH:
4.5 cm / 8.6 cm (1.75" / 3.5")

WEIGHT:
7.7 kg (16.98 lbs) WITH FOAM
6.64 kg (16.09 lbs) NO FOAM



1720 CASE Similarly sized Pelli Storm Case: iM3200

INTERNAL DIMS:
106.2 x 34.5 x 13.5 cm
(41.80" x 13.58" x 5.33")

EXTERNAL DIMS:
113 x 40.8 x 15.9 cm
(44.48" x 16.07" x 6.25")

LID/BOTTOM DEPTH:
4.4 cm / 8.9 cm (1.75" / 3.5")

WEIGHT:
10.5 kg (23.10 lbs) WITH FOAM
8.3 kg (18.25 lbs) NO FOAM



1740 CASE

INTERNAL DIMS:
104.1 x 32.8 x 30.8 cm
(40.98" x 12.92" x 12.13")

EXTERNAL DIMS:
112.2 x 40.9 x 35.6 cm
(44.16" x 16.09" x 14")

LID/BOTTOM DEPTH:
6.5 cm / 24.3 cm (2.56" / 9.57")

WEIGHT:
12.25 kg (27 lbs) WITH FOAM
9.98 kg (22 lbs) NO FOAM



1750 CASE Similarly sized Pelli Storm Case: iM3300

INTERNAL DIMS:
128 x 33.9 x 13.5 cm
(50.38" x 13.33" x 5.33")

EXTERNAL DIMS:
142.4 x 40.8 x 15.6 cm
(56.06" x 16.05" x 6.13")

LID/BOTTOM DEPTH:
4.4 cm / 8.9 cm
(1.75" / 3.5")

WEIGHT:
12.1 kg (26.70 lbs) WITH FOAM
9.5 kg (21.00 lbs) NO FOAM



1770 CASE

INTERNAL DIMS:
138.6 x 39.6 x 21.9 cm
(54.58" x 15.58" x 8.63")

EXTERNAL DIMS:
145.8 x 46.9 x 28.5 cm
(57.42" x 18.48" x 11.23")

LID/BOTTOM DEPTH:
4.8 cm / 17.1 cm
(1.88" / 6.75")

WEIGHT:
18.8 kg (41.49 lbs) WITH FOAM
16.3 kg (36.01 lbs) NO FOAM



1780 CASE

INTERNAL DIMS:
104.4 x 54.7 x 37.8 cm
(41.12" x 21.54" x 14.88")

EXTERNAL DIMS:
114 x 64.3 x 41.9 cm
(44.9" x 25.32" x 16.5")

LID/BOTTOM DEPTH:
19.3 cm / 18.5 cm
(7.58" / 7.3")

WEIGHT:
22.2 kg (49 lbs) WITH FOAM
17.4 kg (38.4 lbs) NO FOAM



PELI LONG CASES



Photo by Augustin de Valence - Honda Revival Team

STUCK IN THE MUD?

During our trip across the Saharan Desert on our Africa Twin motorcycles, we went through a lot, traveling through sand, mud and water as well as over rock and asphalt. At one point, we attempted to cross a massive pool of mud that was blocking the road. The thinking was that going through at full speed would allow us to fly across the muddy area to the other side unscathed. Needless to say, that didn't happen. The bike was stuck for hours, but ultimately, we got it out. Later, we opened our Pelli cases to find that the drone, sleeping bag, spare motor parts, food and clothes inside the cases remained perfectly dry and protected. There was never a doubt in our minds.

Honda Revival Team @hondarevivalteam

SURVIVAL STORIES

CASE CONTENTS NOT INCLUDED

*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

PELI CASE SPECIFICATIONS AND FEATURES



| CAT. NO. | INTERIOR DIMENSIONS (cm) | EXTERIOR DIMENSIONS (cm) | LID DEPTH | BOTTOM DEPTH | WEIGHT WITH FOAM | WEIGHT WITHOUT FOAM | BUOYANCY MAXIMUM | TEMPERATURE RANGE (Min/Max) | CERTIFICATES | HYBRID INTERIOR | TREKPAK™ | PADDED DIVIDERS | RUBBERISED HANDLES | PANEL FRAMES | PERSONALISED NAMEPLATE | LID ORGANISER | WHEELS | COLOURS | CAT. NO. | | |
|------------------------------|--------------------------|--------------------------|--------------------|--------------|------------------|----------------------|------------------|-----------------------------|---|---|----------|-----------------|--------------------|--------------|------------------------|---------------|--------|------------------|--------------------|---------|-------|
| PERSONAL UTILITY CASE SERIES | R20 | 18 x 8.6 x 5 | 22.8 x 12.3 x 7.3 | N/A | N/A | N/A | 0.6 kg | 0.7 kg | -23 / 93° C | | | | | | | | | ■ ■ | R20 | | |
| | R40 | 19.4 x 11.9 x 4.8 | 25 x 15.5 x 7.3 | N/A | N/A | N/A | 0.8 kg | 1.1 kg | -23 / 93° C | | | | | | | | | ■ ■ ■ | R40 | | |
| | R60 | 22.6 x 13.6 x 7.5 | 28.3 x 17.4 x 9.9 | N/A | N/A | N/A | 1.1 kg | 2.2 kg | -23 / 93° C | | | | | | | | | ■ ■ ■ | R60 | | |
| MICRO CASES | M40 | 25.2 x 9.7 x 5.3 | 17.3 x 12.7 x 6.6 | 2 cm | 3.6 cm | N/A | 0.3 kg | N/A | -23 / 93° C | | | | | | | | | ■ ■ ■ ■ ■ *clear | M40 | | |
| | M50 | 18.5 x 10.9 x 6.1 | 20.6 x 14 x 7.4 | 2 cm | 3.6 cm | N/A | 0.4 kg | N/A | -23 / 93° C | | | | | | | | | ■ ■ ■ ■ ■ *clear | M50 | | |
| | M60 | 21.6 x 10.9 x 6.9 | 23.6 x 15.2 x 8.1 | 2 cm | 3.6 cm | N/A | 0.5 kg | N/A | -23 / 93° C | | | | | | | | | ■ ■ ■ ■ ■ *clear | M60 | | |
| | G5 RF Field Wallet | 1.1 x 6.5 x 10.4 | 2 x 7.6 x 12.7 | N/A | N/A | N/A | 0.15 kg | N/A | N/A | | | | | | | | | ■ | G5 RF Field Wallet | | |
| | 0915 0965 | 12.2 x 5.7 x 1.4 | 14.1 x 8.3 x 2.2 | N/A | N/A | N/A | 0.1 kg | N/A | N/A | | | | | | | | | ■ | 0915 0965 | | |
| | 1010 | 11.1 x 7.3 x 4.3 | 14.9 x 10.3 x 5.4 | 1.8 cm | 2.4 cm | 0.19 kg | 0.18 kg | 0.23 kg | -23 / 93° C | | | | | | | | | | ■ ■ * | 1010 | |
| | 1015 | 13.1 x 6.7 x 3.5 | 17 x 9.9 x 4.7 | 1.1 cm | 2.4 cm | N/A | 0.21 kg | 0.54 kg | N/A | | | | | | | | | | ■ * | 1015 | |
| | 1020 | 13.5 x 9 x 4.3 | 17.3 x 12.1 x 5.4 | 1.8 cm | 2.4 cm | 0.25 kg | 0.25 kg | 0.34 kg | -23 / 93° C | | | | | | | | | | ■ ■ * | 1020 | |
| | 1030 | 16.2 x 6.7 x 5.2 | 19.1 x 9.8 x 6.2 | 1.8 cm | 3.2 cm | 0.28 kg | 0.27 kg | 0.45 kg | -23 / 93° C | | | | | | | | | | ■ ■ * | 1030 | |
| | 1040 | 16.5 x 9.8 x 4.4 | 19.1 x 12.9 x 5.4 | 1.8 cm | 2.4 cm | 0.32 kg | 0.32 kg | 0.57 kg | -23 / 93° C | | | | | | | | | | ■ ■ * | 1040 | |
| | 1050 | 16 x 9.3 x 7 | 20.3 x 12.9 x 7.9 | 1.8 cm | 4.9 cm | 0.38 kg | 0.37 kg | 0.79 kg | -23 / 93° C | | | | | | | | | | ■ ■ * | 1050 | |
| 1060 | 21 x 10.8 x 5.7 | 25.1 x 14.2 x 6.7 | 1.8 cm | 3.7 cm | 0.47 kg | 0.45 kg | 1.13 kg | -23 / 93° C | | | | | | | | | | ■ ■ | 1060 | | |
| SMALL CASES | 1120 | 18.5 x 12.1 x 8.5 | 21.4 x 17.2 x 9.8 | 1.3 cm | 6.5 cm | 0.65 kg | 0.61 kg | 2.27 kg | -40 / 99° C | | | | | | | | | | ■ ■ ■ * | 1120 | |
| | 1150 | 21.1 x 14.7 x 9.5 | 24 x 19.8 x 10.9 | 1.9 cm | 7.3 cm | 0.79 kg | 0.73 kg | 3.63 kg | -40 / 99° C | | | | | | | | | | ■ ■ ■ * | 1150 | |
| | 1170 | 26.8 x 15.3 x 8 | 29.6 x 21.2 x 9.6 | 2.7 cm | 5.3 cm | 0.95 kg | 0.89 kg | 3.29 kg | -40 / 99° C | | | | | | | | | | ■ ■ * | 1170 | |
| | 1200 | 24 x 18.5 x 10.5 | 27 x 24.5 x 12.4 | 3 cm | 7 cm | 1.3 kg | 1.15 kg | 5.45 kg | -40 / 99° C | | | | | | | | | | ■ ■ ■ ■ * | 1200 | |
| | 1300 | 23.3 x 17.8 x 15.5 | 27 x 24.6 x 17.4 | 3 cm | 12.5 cm | 1.6 kg | 1.4 kg | 5.6 kg | -40 / 99° C | | | | | | | | | | ■ ■ ■ ■ * | 1300 | |
| | 1400 | 30.1 x 22.8 x 13.1 | 34.7 x 29.5 x 14.6 | 3 cm | 10.2 cm | 2 kg | 1.8 kg | 9.1 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300 | | | | | | | | | ■ ■ ■ ■ * | 1400 | |
| LAPTOP & TABLET CASES | 1085 | 36.3 x 26.3 x 5 | 39.7 x 31.5 x 6.4 | 2.5 cm | 2.5 cm | 1.4 kg | 1.2 kg | N/A | -23 / 49° C | | | | | | | | | ■ | 1085 | | |
| | 1095CC | 40.1 x 28.3 x 5.2 | 43.6 x 33.6 x 6.6 | 2.6 cm | 2.6 cm | 1.5 kg | N/A | N/A | -23 / 49° C | | | | | | | | | ■ | 1095CC | | |
| | 1470 | 39.9 x 27.2 x 9.8 | 42.9 x 33.6 x 11.4 | 3.7 cm | 6.1 cm | 2.5 kg | 1.94 kg | 11.3 kg | -40 / 99° C | | | | | S | O | O | | ■ * | 1470 | | |
| | 1490 | 45.1 x 28.9 x 10.5 | 50.5 x 35.4 x 11.9 | 3.8 cm | 6.7 cm | 2.95 kg | 2.48 kg | 18.6 kg | -40 / 99° C | | | | | S | O | O | O | | ■ | 1490 | |
| | 1490CC1 | 45.1 x 28.9 x 10.5 | 50.5 x 35.4 x 11.9 | 3.8 cm | 6.7 cm | 2.9 kg | 2.5 kg | 18.6 kg | -40 / 99° C | | | | | S | O | O | S | | ■ | 1490CC1 | |
| | 1495 | 47.9 x 33.3 x 9.7 | 54.9 x 43.8 x 12.4 | 2.8 cm | 6.8 cm | 3.8 kg | 3.28 kg | 20.5 kg | -40 / 99° C | | | | | S | | O | | | ■ | 1495 | |
| | 1495CC1 | 47.9 x 33.3 x 9.7 | 54.9 x 43.8 x 12.4 | 2.8 cm | 6.8 cm | 5 kg | N/A | 20.5 kg | -40 / 99° C | | | | | S | | O | S | | ■ * | 1495CC1 | |
| | 1430 | 34.4 x 14.6 x 29.7 | 41.7 x 22.1 x 33.4 | 5.1 cm | 24.6 cm | 2.95 kg | 2.54 kg | 26.8 kg | -40 / 99° C | | | | | O | S | O | O | O | ■ * | 1430 | |
| 1440 | 43.4 x 19.1 x 40.6 | 50 x 30.5 x 45.7 | 5.1 cm | 35.6 cm | 7.48 kg | 6.58 kg | 43.2 kg | -40 / 99° C | | | | | O | S | | O | O | S | ■ * | 1440 | |
| MEDIUM CASES | 1450 | 37.4 x 26 x 15.4 | 40.9 x 33.1 x 17.5 | 4.4 cm | 11.1 cm | 2.9 kg | 2.5 kg | 13.61 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 | | | | | O | S | O | O | ■ ■ ■ ■ ■ | 1450 | |
| | 1460 | 47.1 x 25.2 x 27.7 | 53 x 32.3 x 32.4 | 12.5 cm | 15.3 cm | 5.66 kg | 3.97 kg | 37.19 kg | -40 / 99° C | IP67 | | | | S | | | | ■ * | 1460 | | |
| | 1500 | 42.8 x 28.6 x 15.5 | 47.1 x 35.7 x 17.5 | 4.6 cm | 10.9 cm | 3.2 kg | 2.9 kg | 22.68 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300 | | | | | O | S | O | O | ■ ■ ■ ■ ■ * | 1500 | |
| | 1510 | 51 x 28.5 x 19.3 | 55 x 36 x 22.9 | 4 cm | 15 cm | 6.17 kg ^A | 5.59 kg | 29.1 kg | -40 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 | O | O | O | S | | O | O | S | ■ ■ ■ ■ * | 1510 | |
| | 1510M | 50.2 x 27.9 x 19.3 | 59.8 x 36.5 x 27 | 4.5 cm | 14.7 cm | 8.1 kg | 7.39 kg | N/A | -40 / 99° C | IP57 | | | | O | S | | O | O | S | ■ | 1510M |
| | 1520 | 44.9 x 31.8 x 17.1 | 49.9 x 39.3 x 19.1 | 4.5 cm | 12.5 cm | 4.24 kg | 3.76 kg | 28.6 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 | | | | | O | S | O | O | ■ ■ ■ ■ ■ | 1520 | |
| 1550 | 47.3 x 36 x 19.6 | 52.5 x 43.5 x 21.6 | 4.4 cm | 14.9 cm | 5.4 kg | 4.8 kg | 31.7 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300 | O | O | S | O | O | | | | ■ ■ ■ ■ * | 1550 | | |


^AWeight with Hybrid interior: 6.77 kg (14.94 lbs)

* Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

PELI CASE SPECIFICATIONS AND FEATURES



| CAT. NO. | INTERIOR DIMENSIONS (cm) | EXTERIOR DIMENSIONS (cm) | LID DEPTH | BOTTOM DEPTH | WEIGHT WITH FOAM | WEIGHT WITHOUT FOAM | BUOYANCY MAXIMUM | TEMPERATURE RANGE (Min/Max) | CERTIFICATES | HYBRID INTERIOR | TREKPAK™ | PADDED DIVIDERS | RUBBERISED HANDLES | PANEL FRAMES | PERSONALISED NAMEPLATE | LID ORGANISER | WHEELS | COLOURS | CAT. NO. |
|--------------|--------------------------------|--------------------------|-----------|--------------|------------------|---------------------|------------------|-----------------------------|---|-----------------|----------|-----------------|--------------------|--------------|------------------------|---------------|--------|-----------|--------------|
| 1560 | 51 x 39 x 22.9 | 55 x 45.5 x 26.5 | 5 cm | 18 cm | 9.1 kg | 6.84 kg | 52.16 kg | -40 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 | | O | O | S | | O | O | S | ■ ■ ■ ■ ■ | 1560 |
| 1560M | 50.6 x 38 x 22.9 | 60.4 x 46.6 x 30.7 | 5.1 cm | 17.8 cm | 11 kg | 9.66 kg | N/A | -40 / 99° C | IP57 | | | O | S | | O | O | S | ■ | 1560M |
| 1600 | 54.6 x 42 x 20.2 | 61.8 x 49.4 x 22.2 | 4.4 cm | 15.5 cm | 6.4 kg | 5.9 kg | 53.07 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300 | | O | O | S | | O | O | | ■ ■ ■ ■ ■ | 1600 |
| 1610 | 55.1 x 42.2 x 26.8 | 62.8 x 49.7 x 30.3 | 5.2 cm | 21.6 cm | 10.2 kg | 9.07 kg | 54.4 kg | -40 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 | | O | O | S | | O | O | S | ■ | 1610 |
| 1610M | 55.3 x 42.4 x 27 | 66.5 x 58.4 x 34.7 | 5.2 cm | 21.8 cm | 13.2 kg | 11.93 kg | N/A | -40 / 99° C | IP57 | | | O | S | | O | O | S | ■ | 1610M |
| 1620 | 54.3 x 41.4 x 31.9 | 63 x 49.2 x 35.2 | 5.2 cm | 26.7 cm | 11.8 kg | 11.1 kg | 68 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 | | | O | S | | O | O | S | ■ | 1620 |
| 1620M | 54.6 x 41.7 x 31.9 | 66.5 x 58.4 x 39.6 | 5.1 cm | 26.7 cm | 14.3 kg | 12.7 kg | N/A | -40 / 99° C | IP57 | | | O | S | | O | O | S | ■ | 1620M |
| 1630 | 70.4 x 53.3 x 39.4 | 79.5 x 61.5 x 44.4 | 8.3 cm | 30.8 cm | 16.33 kg | 14.06 kg | 159 kg | -40 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 • ATA 300 • MIL C-4150J | | | O | | | O | O | S | ■ * | 1630 |
| 1640 | 60.2 x 61 x 35.3 | 69.1 x 69.9 x 41.4 | 5.1 cm | 30.2 cm | 17.24 kg | 15.42 kg | 166 kg | -40 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 | | | O | | | O | O | S | ■ | 1640 |
| 1650 | 72.2 x 44.2 x 27 | 80.1 x 52.1 x 31.7 | 4.6 cm | 22.5 cm | 12.73 kg | 10.9 kg | 82.1 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 • ATA 300 | O | O | S | | | O | O | S | ■ * | 1650 |
| 1660 | 71.6 x 50.2 x 44.8 | 80 x 58.1 x 48.3 | 8.9 cm | 35.9 cm | 19.1 kg | 15.5 kg | 159 kg | -23.3 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 | | | O | | | O | O | S | ■ * | 1660 |
| 1670 | 71.4 x 41.9 x 23.3 | 78.8 x 49.3 x 28.4 | 4.6 cm | 18.8 cm | 11.8 kg | 10.4 kg | 82.6 kg | -40 / 99° C | - | | | | | | | | S | ■ | 1670 |
| 1690 | 76.5 x 63.8 x 39 | 84.9 x 72.1 x 44.8 | 7.3 cm | 30.8 cm | 19.5 kg | 15.42 kg | 186 kg | -40 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 | | | O | | | O | O | S | ■ * | 1690 |
| 1730 | 86.4 x 61 x 31.8 cm | 95.3 x 68.9 x 36.5 | 6.4 cm | 25.4 cm | 17.24 kg | 13.61 kg | 189 kg | -40 / 99° C | IP67 | | | | | | O | O | S | ■ ■ | 1730 |
| 1780 | 104.4 x 54.7 x 37.8 | 114 x 64.3 x 41.9 | 19.3 cm | 18.5 cm | 22.20 kg | 17.42 kg | 226.8 kg | -40 / 99° C | DEF STAN 81-41/STANAG 4280 | | | | | | O | O | S | ■ * | 1780 |
| 0340 | 45.7 x 45.7 x 45.7 | 52.1 x 52.1 x 48.9 | 11.4 cm | 34.3 cm | 13.5 kg | 10.89 kg | 100 kg | -40 / 99° C | IP67 • DEF STAN 81-41 /STANAG 4280 | | | O | | | O | O | | ■ | 0340 |
| 0350 | 50.8 x 50.8 x 50.8 | 57.2 x 57 x 54 | 12.7 cm | 38.1 cm | 14.52 kg | 11.79 kg | 122 kg | -40 / 99° C | IP67 • DEF STAN 81-41 /STANAG 4280 | | | O | | | O | O | O | ■ | 0350 |
| 0370 | 61 x 61 x 61 | 67.3 x 67.3 x 64.1 | 12.7 cm | 48.3 cm | 18.6 kg | 14.5 kg | 211 kg | -40 / 99° C | IP67 • DEF STAN 81-41 /STANAG 4280 | | | O | | | O | O | O | ■ * | 0370 |
| 0450 | Varies by drawer configuration | 60.8 x 37.5 x 45.6 | N/A | N/A | 21.95 kg | N/A | N/A | N/A | - | | | | | | | | S | ■ | 0450 |
| 0500 | 88.8 x 46.9 x 64.1 | 101.5 x 59.6 x 72.8 | 5.7 cm | 58.4 cm | 26.58 kg | 22.68 kg | 354 kg | -40 / 99° C | - | | | | | | O | O | | ■ | 0500 |
| 0550 | 120.8 x 61.1 x 44.9 | 129.7 x 70 x 57.9 | 8.1 cm | 36.8 cm | 43.09 kg | 35.92 kg | 371.95 kg | -40 / 99° C | IP57 | | | | | | O | O | | ■ | 0550 |
| 1700 | 91 x 35.3 x 13.3 | 96 x 45.5 x 15.5 | 4.5 cm | 8.6 cm | 7.7 kg | 6.64 kg | 62.1 kg | -40 / 99° C | IP67 • MIL C-4150J • DEF STAN 81-41/STANAG 4280 | | | | | | | | S | ■ * | 1700 |
| 1720 | 106.2 x 34.5 x 13.5 | 113 x 40.8 x 15.9 | 4.4 cm | 8.9 cm | 10.5 kg | 8.3 kg | 73 kg | -40 / 99° C | DEF STAN 81-41/STANAG 4280 | | | | | | O | O | | ■ * | 1720 |
| 1740 | 104.1 x 32.8 x 30.8 | 112.2 x 40.9 x 35.6 | 6.5 cm | 24.3 cm | 12.25 kg | 9.98 kg | 121.11 kg | -40 / 99° C | IP66 | | | | | | O | O | | ■ * | 1740 |
| 1750 | 128 x 33.9 x 13.5 | 142.4 x 40.8 x 15.6 | 4.4 cm | 8.9 cm | 12.1 kg | 9.5 kg | 85 kg | -40 / 99° C | IP67 • DEF STAN 81-41/STANAG 4280 | | | | | | O | O | | ■ * | 1750 |
| 1770 | 138.6 x 39.6 x 21.9 | 145.8 x 46.9 x 28.5 | 4.8 cm | 17.1 cm | 18.8 kg | 16.3 kg | 127.01 kg | N/A | - | | | | | | | | S | ■ | 1770 |
| 1780 | 104.4 x 54.7 x 37.8 | 114 x 64.3 x 41.9 | 19.3 cm | 18.5 cm | 22.20 kg | 17.4 kg | 226.8 kg | -40 / 99° C | DEF STAN 81-41/STANAG 4280 | | | | | | O | O | | ■ * | 1780 |



S = Standard feature
O = Optional accessory
*Other colours and configurations available upon minimum quantities. Check with your Customer Service representative for further details.

CASE ACCESSORIES

Check how to install all accessories through our easy step-by-step Tutorial videos

From custom nameplates and padded shoulder straps, to TSA Locks and humidity indicators, Peli™ offers a broad range of case accessories.

Refer to www.peli.com for specific accessories available for each case model



LEARN MORE ABOUT + OUR PRODUCTS



www.peli.com



AVAILABLE IN 18 LANGUAGES!

www.pelicatalogue.com



www.peli.com/webinars



EMEA / www.peli.com

EUROPE, MIDDLE EAST & AFRICA HEADQUARTERS
PELI PRODUCTS, S.L.U.
 C/ Provença, 388 Planta 7
 08025 • Barcelona, Spain
 Tel +34 934 674 999

FRANCE
PELI PRODUCTS FRANCE S.A.S.
 20/22 Rue des Petits Hôtels
 75010 Paris, France
 Tel +33 (0)1 44 83 95 63

UK
PELI HARDIGG UK
 Unit 4, Brookfield Industrial Estate
 Leacon Road
 Ashford Kent TN23 4TU
 Tel + 44 (0) 1233 895 895

GERMANY
PELI PRODUCTS GERMANY GmbH
 Neudorfer Strasse 285 C
 09474 Crottendorf
 Germany
 Tel +49 (0)37344 313999

DENMARK
PELI PRODUCTS DENMARK APS
 Midtermølen 1, 2. tv.
 2100 Copenhagen, Denmark
 Tel: +34 934 674 999

NETHERLANDS
PELI PRODUCTS NETHERLANDS B.V.
 Basisweg, 10
 1043AP Amsterdam,
 The Netherlands
 Tel +34 934 674 999

ITALY
PELI PRODUCTS ITALY S.R.L.
 Viale Monte Nero, 84
 20135 Milano, Italy
 Tel +34 934 674 999

POLAND
PELI PRODUCTS POLAND SP. Z O.O.
 ul. Stary Rynek 38-39
 61-772 Poznan, Poland
 Tel +34 934 674 999

UAE
PELICAN PRODUCTS FZE
 JAFZA One Building A
 office 1511/1512
 Jebel Ali Free Zone gate 5
 P.O.Box 261008
 Dubai – United Arab Emirates
 Tel +971 4 8876550

INDIA
PELICAN PRODUCTS AND SERVICES INDIA PVT. LTD
 Level "4", Augusta Point,
 Sector-53,
 Golf Course Road,
 Gurgaon 122002 Haryana, India
 Tel +91 124 4354148

U.S.A.

U.S.A. & GLOBAL HEADQUARTERS
 23215 Early Avenue
 Torrance, CA 90505 USA
 Tel 310.326.4700
 800.473.5422 (Outside CA)

* We also have offices in Canada, Japan, China, Australia and South Korea

INJECTION MOULDED CASES - PELI LIMITED LIFETIME* GUARANTEE

Peli Products, S.L.U. ("Peli") guarantees its injection moulded products for a lifetime* against breakage or defects in workmanship. Peli™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Peli's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the case has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

For complete warranty details, see www.peli.com/guarantee

* Lifetime Guarantee not applicable where prohibited by law.

Distributed by:

Follow us on: PELInsights subscribe now!



©2024 Peli Products, S.L.U. All trademarks are registered and/or unregistered trademarks of Peli Products, S.L.U., its parent, subsidiaries and/or affiliates. All details included in this catalogue are correct when printed but for most updated information please visit www.peli.com and www.pelicatalogue.com.
 Part No. 0030-000-101E MAR 24

PELInsights



Check out our latest posts on Peli Cases, get to know our Pro Users and take part in our different programs.

This and more on the brand new PELI blog!



Watch the Peli cases video!

FEATURES

HEL C-4158J
 STAN AG-4288
 DEF STAN R1-41
 ASA COMPLIANCE

